

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1BHEU

RICHMOND 10 SLATE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

RICHMOND 10 SLATE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1AHEF

GROVEBURY TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

GROVEBURY TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_DWP0000000016

DUOPLAIN LEFT-HAND VERGE THREE QUARTER TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

DUOPLAIN LEFT-HAND VERGE THREE QUARTER TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_DWP0000000001

RICHMOND 10 HALF SLATE PAIR

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

RICHMOND 10 HALF SLATE PAIR

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_0201B1E1AHEV

SAXON 10 SLATE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

SAXON 10 SLATE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1AHEL

MINI STONEWOLD TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

MINI STONEWOLD TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_DWP0000000004

MINI STONEWOLD HALF SLATE PAIR

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

MINI STONEWOLD HALF SLATE PAIR

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_DWP000000005

SAXON 10 HALF SLATE PAIR

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

SAXON 10 HALF SLATE PAIR

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_DWP000000011

PLAIN TILE-AND-A-HALF

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

PLAIN TILE-AND-A-HALF

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_00000000000325

PLAIN TILE ORNAMENTAL TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

PLAIN TILE ORNAMENTAL TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_DWP0000000020

RENOWN HALF TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

RENOWN HALF TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1AHEP

PLAIN TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

PLAIN TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_DWP000000002

GROVEBURY HALF TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

GROVEBURY HALF TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1AHED

DUOPLAIN TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

DUOPLAIN TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1AHET

RENOWN TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

RENOWN TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_DWP0000000019

HEATHLAND TILE-AND-A-HALF

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

HEATHLAND TILE-AND-A-HALF

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_DWP0000000019

HEATHLAND EAVES/TOP TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

HEATHLAND EAVES/TOP TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1AHEA

50 DOUBLE ROMAN TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

50 DOUBLE ROMAN TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_DWP0000000010

PLAIN EAVES/TOP TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

PLAIN EAVES/TOP TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1AHEU

MOCKBOND RICHMOND 10 SLATE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

MOCKBOND RICHMOND 10 SLATE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_DWP0000000016

DUOPLAIN RIGHT-HAND VERGE THREE QUARTER TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

DUOPLAIN RIGHT-HAND VERGE THREE QUARTER TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_DWP0000000017

REGENT HALF TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

REGENT HALF TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1AHER

REDLAND 49 TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

REDLAND 49 TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1AHEG

HEATHLAND ORNAMENTAL TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

HEATHLAND ORNAMENTAL TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_DWP0000000014

DUOPLAIN HALF TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

DUOPLAIN HALF TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1AHEE

FENLAND PANTILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

FENLAND PANTILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1AHEM

MOCKBOND MINI STONEWOLD TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

MOCKBOND MINI STONEWOLD TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_DWP0000000003

50 DOUBLE ROMAN HALF TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

50 DOUBLE ROMAN HALF TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1AHES

REGENT TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

REGENT TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1BHEG

HEATHLAND TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

HEATHLAND TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
 Authorized Representative:
 Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
 on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
 in acc. with Commission Decision 2000/553/EC
 *in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.