

Declaration of Performance

No.: RED_DOPCA_2210_DWP0000000021

ROSEMARY CLAY CRAFTSMAN EAVES/TOP Tile

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

ROSEMARY CLAY CRAFTSMAN EAVES/TOP Tile

2. INTENDED USE

For roof covering, external wall cladding or internal wall lining.

3. MANUFACTURER

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW

4. AUTHORIZED REPRESENTATIVE, if applicable

Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

5. SYSTEM OR SYSTEMS AVCP

System 4

6.

a. DESIGNATED STANDARD AND APPROVED BODY(IES)

EN 1304:2005

b. UK EUROPEAN ASSESSMENT DOCUMENT AND APPROVED BODY(IES)

N/A

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* (EN 13501-5:2016)	BROOF(t4)(CWF T)	EN 1304:2005
Reaction to fire** (EN 13501-1:2018)	Class A1(CWFT)	
Mechanical Resistance (EN 538:1994)	Complies	
Water impermeability (EN 539-1:2005)	Pass Category 1 Test Method 2	
Dimensions & Dimensional variation (EN 1024:2012)	Complies	
Durability (EN 539-2:2013)	Pass Method D	
Release of dangerous substances	NPD	

NPD: No performance determined

*in acc. with Commission Decision 2000/553/EC.

**in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCA_2210_DWP0000000006

ROSEMARY CLAY CLASSIC ORNAMENTAL TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

ROSEMARY CLAY CLASSIC ORNAMENTAL TILE

2. INTENDED USE

For roof covering, external wall cladding or internal wall lining.

3. MANUFACTURER

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW

4. AUTHORIZED REPRESENTATIVE, if applicable

Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

5. SYSTEM OR SYSTEMS AVCP

System 4

6.

a. DESIGNATED STANDARD AND APPROVED BODY(IES)

EN 1304:2005

b. UK EUROPEAN ASSESSMENT DOCUMENT AND APPROVED BODY(IES)

N/A

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* (EN 13501-5:2016)	BROOF(t4)(CWF T)	EN 1304:2005
Reaction to fire** (EN 13501-1:2018)	Class A1(CWFT)	
Mechanical Resistance (EN 538:1994)	Complies	
Water impermeability (EN 539-1:2005)	Pass Category 1 Test Method 2	
Dimensions & Dimensional variation (EN 1024:2012)	Complies	
Durability (EN 539-2:2013)	Pass Method D	
Release of dangerous substances	NPD	

NPD: No performance determined

*in acc. with Commission Decision 2000/553/EC.

**in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCA_2210_DWP0000000008

ROSEMARY CLAY CLASSIC EAVES/TOP Tile

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

ROSEMARY CLAY CLASSIC EAVES/TOP Tile

2. INTENDED USE

For roof covering, external wall cladding or internal wall lining.

3. MANUFACTURER

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW

4. AUTHORIZED REPRESENTATIVE, if applicable

Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

5. SYSTEM OR SYSTEMS AVCP

System 4

6.

a. DESIGNATED STANDARD AND APPROVED BODY(IES)

EN 1304:2005

b. UK EUROPEAN ASSESSMENT DOCUMENT AND APPROVED BODY(IES)

N/A

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* (EN 13501-5:2016)	BROOF(t4)(CWF T)	EN 1304:2005
Reaction to fire** (EN 13501-1:2018)	Class A1(CWFT)	
Mechanical Resistance (EN 538:1994)	Complies	
Water impermeability (EN 539-1:2005)	Pass Category 1 Test Method 2	
Dimensions & Dimensional variation (EN 1024:2012)	Complies	
Durability (EN 539-2:2013)	Pass Method D	
Release of dangerous substances	NPD	

NPD: No performance determined

*in acc. with Commission Decision 2000/553/EC.

**in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCA_2210_DWP0000000006

ROSEMARY CLAY CRAFTSMAN ORNAMENTAL TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

ROSEMARY CLAY CRAFTSMAN ORNAMENTAL
TILE

2. INTENDED USE

For roof covering, external wall cladding or internal
wall lining.

3. MANUFACTURER

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln
Farm, Milton Keynes MK11 3LW

4. AUTHORIZED REPRESENTATIVE, if applicable

Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's
Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

5. SYSTEM OR SYSTEMS AVCP

System 4

6. a. DESIGNATED STANDARD AND APPROVED BODY(IES)

EN 1304:2005

b. UK EUROPEAN ASSESSMENT DOCUMENT AND APPROVED BODY(IES)

N/A

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* (EN 13501-5:2016)	BROOF(t4)(CWF T)	EN 1304:2005
Reaction to fire** (EN 13501-1:2018)	Class A1(CWFT)	
Mechanical Resistance (EN 538:1994)	Complies	
Water impermeability (EN 539-1:2005)	Pass Category 1 Test Method 2	
Dimensions & Dimensional variation (EN 1024:2012)	Complies	
Durability (EN 539-2:2013)	Pass Method D	
Release of dangerous substances	NPD	

NPD: No performance determined

*in acc. with Commission Decision 2000/553/EC.

**in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCA_2210_10201B2E2BJLB

ROSEMARY CLAY CLASSIC TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

ROSEMARY CLAY CLASSIC TILE

2. INTENDED USE

For roof covering, external wall cladding or internal wall lining.

3. MANUFACTURER

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW

4. AUTHORIZED REPRESENTATIVE, if applicable

Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

5. SYSTEM OR SYSTEMS AVCP

System 4

6.

a. DESIGNATED STANDARD AND APPROVED BODY(IES)

EN 1304:2005

b. UK EUROPEAN ASSESSMENT DOCUMENT AND APPROVED BODY(IES)

N/A

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* (EN 13501-5:2016)	BROOF(t4)(CWF T)	EN 1304:2005
Reaction to fire** (EN 13501-1:2018)	Class A1(CWFT)	
Mechanical Resistance (EN 538:1994)	Complies	
Water impermeability (EN 539-1:2005)	Pass Category 1 Test Method 2	
Dimensions & Dimensional variation (EN 1024:2012)	Complies	
Durability (EN 539-2:2013)	Pass Method D	
Release of dangerous substances	NPD	

NPD: No performance determined

*in acc. with Commission Decision 2000/553/EC.

**in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCA_2210_10201B2E2AJLC

ROSEMARY CLAY CRAFTSMAN TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

ROSEMARY CLAY CRAFTSMAN TILE

2. INTENDED USE

For roof covering, external wall cladding or internal wall lining.

3. MANUFACTURER

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW

4. AUTHORIZED REPRESENTATIVE, if applicable

Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

5. SYSTEM OR SYSTEMS AVCP

System 4

6.

a. DESIGNATED STANDARD AND APPROVED BODY(IES)

EN 1304:2005

b. UK EUROPEAN ASSESSMENT DOCUMENT AND APPROVED BODY(IES)

N/A

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* (EN 13501-5:2016)	BROOF(t4)(CWF T)	EN 1304:2005
Reaction to fire** (EN 13501-1:2018)	Class A1(CWFT)	
Mechanical Resistance (EN 538:1994)	Complies	
Water impermeability (EN 539-1:2005)	Pass Category 1 Test Method 2	
Dimensions & Dimensional variation (EN 1024:2012)	Complies	
Durability (EN 539-2:2013)	Pass Method D	
Release of dangerous substances	NPD	

NPD: No performance determined

*in acc. with Commission Decision 2000/553/EC.

**in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3