

Square Line Rainwater System



RAS3
Adjustable Angle 50 - 156°

RAS1
90° Angle

RUS1
Union Bracket

RGS2/4
Gutter

ROS1
Running Outlet

RES2
Stopend - Internal

RBS2
112½° Offset Bend

RCS1
Pipe Clip

RP52.5/4/5.5
Pipe

RSS1
Pipe Socket

RCS2
Flush Pipe Clip
allows downpipes to be fixed flush to the wall.

RCS3
Single Fix Pipe Clip

RBS5
Adjustable Offset Bend
allows for a minimum offset of 25mm up to a maximum of 65mm.

RBS3
Shoe

RKS1
Fascia Bracket

RES1
Stopend - External

FloPlast recommend the use of lubricant on all gutter seals for ease of fitting and improved performance.

Features & Benefits:

- Attractive rectilinear profile.
- Flow capacity in excess of Half Round.
- Pre-fitted gutter seal retaining clip system for fast user friendly installation.
- Pre-lubricated seals.
- Cost effective solution for both new build and refurbishment applications.
- Connects to most other metal or plastic systems using our extensive range of adaptors.

Colours	White	Black	Brown	Caramel
Code suffix	W	B	BR	C
Dimensions (mm)	114		65	
	60			













114MM GUTTER AND FITTINGS BS EN 607:2004, BS EN 12200-1:2000, BS EN 1462:2004



For optimum performance of Square Line gutter systems we recommend the use of FloPlast 65mm Square downpipe system. Gutter and pipe code reference numbers refer to length of run: 2 metres, 2.5 metres, 4 metres and 5.5 metres.






For Ancillaries and Spares see page 5.






Product	Code	
Gutter 2m / 3m / 4m		
	2m	RGS2*
	3m	RGS3*
	4m	RGS4
Angle		
	90°	RAS1
	135°	RAS2
	Adjustable Angle 50° - 156°	RAS3*
	any degree	RAS9**

Product	Code	
Running Outlet		
		ROS1
Stopend Outlet		
		ROS2
Stopends		
	External	RES1
	Internal	RES2
Fascia Bracket		
		RKS1

Product	Code	
Union Bracket		
		RUS1
Square/Round Gutter Adaptor		
		RDS1
To Cast Iron Ogee Gutter Adaptors		
	R/H	RDS3
	L/H	RDS4*
To Half Round Cast Iron Gutter Adaptor		
		RDS5

65MM SQUARE DOWNPIPE & FITTINGS BS EN 12200-1:2000

Product	Code	
Pipe		
	2.5m	RPS2.5
	4m	RPS4
	5.5m	RPS5.5
Offset Bend		
	92½°	RBS1
	112½°	RBS2
	Adj. Offset Bend	RBS5
Shoe		
		RBS3
	(With fixing lugs)	RBS4*

Product	Code	
Pipe Clips		
		RCS1
	Flush	RCS2#
	Single Fix	RCS3#
	(With fixing lugs)	RCS4**
Pipe Sockets		
		RSS1
	(With fixing lugs)	RSS2***
67½° Branch		
		RYS1

Product	Code	
Square Access Pipe		
		RXS1#
Sq/Rd Downpipe Adaptor		
	Connects to 68mm round downpipe System.	RDS2#
Hopper		
		RHS1##

#Not available in caramel
 #Connects to 65mm square & 68mm round downpipe.
 *Must be used in conjunction with RCS4 and RSS2. (Black and white)
 **Must be used in conjunction with RBS4 and RSS2. (Black and white)
 ***Must be used in conjunction with RCS4 and RBS4. (Black and white)

FloPlast

building the future

FloPlast Limited
 Castle Road
 Eurolink Business Park
 Sittingbourne
 Kent ME10 3FP
 UK

Tel: 01795 431731
 Sales Office Direct Line:
01795 421422






Fax:
01795 431188

E-mail:
sales@floplast.co.uk

Website:
www.floplast.co.uk



Other systems available:



www.floplast.co.uk

PVC-UE Roofline,
 Window &
 Cladding Systems

Rainwater
 Systems

Soil & Waste
 Systems

Underground
 Drainage Systems

MDPE
 Systems

Hot & Cold
 Plumbing Systems