



Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead,
SL6 4JJ

BS EN 1304:2005

13

HANSON RED BANK
CLAY RIDGE TILES AND FITTINGS – (CLAYRT)

Mechanical resistance properties / Flexural strength	Complies
External fire performance	Deemed to satisfy
Reaction to fire	Class A1
Water impermeability	Pass Category 1, test method 2
Dimensions and dimensional tolerance	Complies
Durability	Pass Method D
Dangerous Substances:	See Note

Note: Information on Dangerous substances will only be given when and where required in the appropriate form. See Annex ZA3 of BS EN 1304:2005.

See Also Declaration of Performance DOP/HANUK/RB/CLAYRT

Declaration of Performance

DOP/HANUK/RB/CLAYRT

The undersigned, representing the following:

Hanson Building Products Ltd
Hanson House, 14 Castle Hill,
Maidenhead, SL6 4JJ

Confirms that:

CLAY RIDGE TILES AND FITTINGS – (CLAYRT)

Manufacturing Plant: HANSON RED BANK

Conforms to the Harmonised European Standard: **BS EN 1304:2005**

13


Provision to which the product conforms: Annex ZA of BS EN 1304:2005. System 4
Regulation (EU) No. 305/2011

Mechanical resistance properties / Flexural strength	Complies
External fire performance	Deemed to satisfy
Reaction to fire	Deemed to satisfy Class A1
Water impermeability	Pass Category 1, test method 2
Dimensions and dimensional tolerance	Complies
Durability	Pass Method D
Dangerous Substances:	See Note

Note: Information on Dangerous substances will only be given when and where required in the appropriate form. See Annex ZA3 of BS EN 1304:2005.

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instructions and appropriate codes of practice.

Signed on behalf of the manufacturer:



Full name: Carl Cuthbert

Position: Quality Manager

Date: 01 July 2013