

IKO 3B GLASS FIBRE UNDERLAY

PRODUCT INFORMATION

Manufactured with a glass fibre base, coated either side with APP modified bitumen. Both the upper and lower surfaces are sanded to facilitate adhesion by means of hot bitumen or cold bitumen adhesive.

Surface	Product Code
Sand	03842000



USE

This product is intended for use as an underlay/intermediate layer within a bituminous built-up roofing system.

This product is also used as an underlay to bitumen shingles in boarded pitched roofing applications.

INDEPENDENT ACCREDITATION



The product carries a Declaration of Performance Certificates and is UK Conformity Assessed.

FEATURES & BENEFITS

Multiple Uses

Can be bonded with hot bitumen or cold bitumen adhesive or used as a nailed boarded pitched roof underlay.

Glass Fibre Reinforced Carrier

Provides an economical base material.

COMPOSITION

Bitumen Modification:	APP
Carrier:	Glass Fibre
Form:	Roll
Colour:	Sand
Length:	20m
Width:	1m
Mass/Weight:	1.75kg/m ²
Roll Weight:	35kg
Surface Finishes:	(upper) Sand (lower) Sand
Selvedge:	None

INSTALLATION

Membrane Bond: Hot bitumen/ cold bitumen adhesive

Lap Bond: Hot bitumen/ cold bitumen adhesive

For further information please refer the 'IKO BUFR System Guidance Document'

PERFORMANCE

For key product performance characteristics, please refer to the [IKO Declaration of Performance \(DoP\)](#)

DURABILITY

As an under layer, when installed and conditions are maintained as per IKO literature, relevant Codes of Practice and UK Building Regulations, the product will contribute to the durability stated by the respective cap sheet.

As a nailed underlay within a shingle system, when installed and conditions are maintained as per IKO literature, relevant Codes of Practice and UK Building Regulations, the product will contribute to the durability stated by the respective shingle system.

DISCLAIMER

Whilst every precaution is taken to ensure that the information given in this literature is correct and up to date it is not intended to form part of any contract or give rise to any collateral liability, which is hereby specifically excluded.

IKO reserve the right to amend and/or withdraw this document without notice.

Intending purchasers of our materials should therefore verify with the company whether any changes in our specification, application details, withdrawals or otherwise have taken place since this literature was issued.