


Westland Natural slate

Architectural range



Natural Slate for internal and external flooring, Hearths, Sills, Skirtings, Copings, Cladding and Work Surfaces. www.independentslatesupplies.com Tel: 01752 848080

For our terms and conditions please see: www.independentslatesupplies.com/brochureterms



INDEPENDENT SLATE SUPPLIES

Where quality comes naturally



Westland Architectural Slate

Westland slate is a dense and a very low maintenance product, making it ideal for an internal and external finish.

Westland slate can be utilised for anything, from sills, hearths, skirtings, copings, internal and external flooring, cladding and work surfaces.

All the Westland architectural slate range are machine cut creating a crisp & contemporary square edge, while retaining a naturally attractive surface. In addition, riven slate offers a "Low Slip Potential," in both wet and dry conditions making it perfect as a floor finish*.

**Reference:* HSE – A study of the slip characteristics of natural and manmade stone flooring materials.

Westland Slate Flooring


Westland Flooring Slate Sizes

10mm thickness (calibrated)	15mm thickness (calibrated)
300 x 300	3 17 2 1
400 x 400	6
600 x 300	600 x 300
600 x 400	
600 x 600	600 x 600
900 x 600	900 x 600
	900 x 900

Westland slate flooring is split with a textured finish. Calibrated in 10mm and 15mm thicknesses which makes it an ideal product for both internal and external use.

In addition, it is available in a variety of lengths and widths to suit specific layouts and areas. Westland is extremely hardwearing and durable making it the attractive product for a variety of locations.


The slate flooring should only be laid on a base that is fully capable of supporting the expected flow and weight of traffic without flexing and should be fixed securely across its whole bedding surface.



Westland Flooring Project Packs

Available in Grey Green and Graphite. These Project Packs create an attractive modular pattern. Enhancing patio and paving areas with a tough, durable and attractive finish.

Project packs will vary in thickness between 15 to 20mm. To ease installation, it is helpful to grade the flooring slates before work is commenced. The project packs are pre cut to allow for a 5mm grout line for easy installation.



Modular Pattern

Flooring Pattern Pack Contents						
Size	(mm)	No of pieces	Thickness (mm)	Coverage (m2)	Coverage (m2)	
600	600	24	15-20	8.64		
600	295*	35	15-20	6.20	Total excluding grout lines 17.78 m2 Total including grout lines 18 m2	
295	295*	34	15-20	2.96		

*5mm on the sizing is allowed for grout lines.

Westland Slate Sills

Our natural slate sills are always in demand due to the hardwearing, durable and attractive qualities of this product, which can be used inside and out.

We offer an extensive size selection that is available in both Graphite and Grey Green colours. A cutting service is available if required, prices on request. Please see table over page for available sizes.

Grey Green

Graphite



Westland Coping Stones

Westland Coping Stones add the finishing touch to any paving, cladding & walling design. The standard square edges emphasize the light catching smooth face of the slate. Our Westland coping stones perfectly complement our range of matching patio packs, flooring, cladding and steps.

We offer an extensive size selection that is available in both Graphite and Grey Green colours. A cutting service is available if required, prices on request. Please see table over page for available sizes.





Westland Slate Hearths are available in Graphite and Grey Green in various sizes.

Westland Slate Hearths

Our slate hearths come with cut edges to allow for easy jointing, bevels can be easily created if required.

As with all the Westland Slate Range our hearths feature natural tonal variations inherant in the slate, giving innate character.

Sizes available for Sills, Hearths, Coping Stones and Worktops. Cutting and finishing service available.

Length mm	Thickness mm	Widths Available mm		
600	25	200, 300		
900	25	150, 200, 300, 450		
1,200	25	150, 200, 300, 450, 600, 650*, 700, 800, 900*		
1,500	25	150, 200, 300, 450, 600*, 900*		
1,800	25	150, 200, 300, 450, 650*		
2,200	25	150, 200, 300, 450, 700*		
1,200	30*	600, 900		
1,500	30*	900		
2,200	30*	700		
1,500	40*	1,000		
2,000	40*	1,000		
Hendy Depot - please note that additional delivery charges may apply				
1,200	50*	200, 300, 400, 500, 600		
1,500	50*	200, 300, 400, 500, 600		
1,800	50*	200, 300, 400, 500, 600		
2,200	50*	200, 300, 400, 500, 600		

* Only available in Graphite

Westland Slate Worktops

Westland worktops are manufactured in house from our stock of slate blanks of varying thicknesses. Quarried from the same rock as the rest of our Westland range, they are the perfect complement to our flooring, sills and hearths.

These slate blanks are offered in three thicknesses with a straight sawn edge.

See size chart on Sills & Copings page.

Westland Cladding

Westland slate cladding is perfect for both interior and exterior use, creating a modern, elegant feature to enhance any project. Available in Graphite.

Manufactured from the same slate as the rest of our Westland range, it complements our other slate as the rest of our westland Easy to install using tile adhesive, you can quickly transform any surface with impressive results.

Westland cladding is available in the following sizes:

10-15mm 12 pieces per box

Coverage 1.08 sq. metres per pack.

20-25mm 6 pieces per box.

Coverage 0.54 sq. metres per pack.



INDEPENDENT SLATE SUPPLIES Where quality comes naturally

For more information about any of our natural slate ranges please call or visit the website. Tel: 01752 848080 www.independentslatesupplies.com Distribution throughout the U.K.



Westland Natural slate Architectural range

Natural Slate for internal and external flooring, Hearths, Sills, Skirtings, Copings, Cladding and Work Surfaces. www.independentslatesupplies.com Tel: 01752 848080

For our terms and conditions please see: www.independentslatesupplies.com/brochureterms