

Declaration of Performance

No.: RED_DOPCE_2210_00000000000316

CONCRETE BONNET TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

CONCRETE BONNET TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm,
Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay,
Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_00000000000338

UNIVERSAL ANGLE RIDGE TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

UNIVERSAL ANGLE RIDGE TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm,
Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay,
Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1EHEQ

RIDGE VENT TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

RIDGE VENT TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm,
Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay,
Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_00000000000335

UNIVERSAL ANGLE MONORIDGE TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

UNIVERSAL ANGLE MONORIDGE TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm,
Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay,
Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1GHED

HALF ROUND RIDGE TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

HALF ROUND RIDGE TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_00000000000337

UNIVERSAL ANGLE RIDGE / HIP TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

UNIVERSAL ANGLE RIDGE / HIP TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm,
Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay,
Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_00000000000323

PASCAL ROLL TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

PASCAL ROLL TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm,
Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay,
Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1FHEA

DENTIL SLIP

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

DENTIL SLIP

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm,
Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay,
Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_00000000000340

VALLEY TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

VALLEY TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay, Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1FHEG

PLAIN TILE EXTERNAL ANGLE TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

PLAIN TILE EXTERNAL ANGLE TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm,
Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay,
Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1HHED

BABY RIDGE TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

BABY RIDGE TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm,
Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay,
Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1GHEQ

HALF ROUND MONORIDGE TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

HALF ROUND MONORIDGE TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm,
Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay,
Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_00000000000322

ORNAMENTAL RIDGE TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

ORNAMENTAL RIDGE TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm,
Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay,
Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1GHEG

THIRD ROUND HIP TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

THIRD ROUND HIP TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm,
Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay,
Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_10201B1E1CHEA

CONCRETE CLOAKED VERGE TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

CONCRETE CLOAKED VERGE TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm,
Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay,
Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_00000000000336

UNI ANGLE RIDGE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

UNI ANGLE RIDGE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm,
Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay,
Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Declaration of Performance

No.: RED_DOPCE_2210_00000000000334

UNIVERSAL ANGLE HIP TILE

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

UNIVERSAL ANGLE HIP TILE

2. INTENDED USE

For pitched roof coverings, and for external wall cladding and internal wall lining

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House, 2 Pitfield, Kiln Farm,
Milton Keynes MK11 3LW
Authorized Representative:
Necoflex Ltd, Matheson LLP, 70 Sir John Rogerson's Quay,
Dublin Docklands, Dublin 2, D02 R296, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 4 (except Reaction to Fire (AVCP System 3))

5. HARMONIZED STANDARD or ETA

EN 490:2011

6. NOTIFIED BODY(IES)

1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes
on 05/01/2023

7. DECLARED PERFORMANCE

Essential Characteristics	Performance	Harmonized technical specification
External Fire Performance* EN 13501-5:2016	BROOF(t4) (Deemed to Satisfy)	EN 490:2011
Reaction to fire** EN 13501-1:2018	Class A1 (non-coated), Class A2-s1, d0 (coated)	
Mechanical Resistance EN 491:2011	Complies	
Water impermeability EN 491:2011	Complies	
Dimensions & Dimensional variation EN 491:2011	Complies	
Durability EN 491:2011	Complies	
Release of dangerous substances	NPD	

NPD: No performance determined
in acc. with Commission Decision 2000/553/EC
*in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.