

# TECHNICAL DATA SHEET

## LIQUID MORTAR TONE

Issue 5 – October 2015

- Description:** Liquid mortar tone is an Iron Oxide based liquid dye that provides permanent colour to all types of mortars, rendering, pointing and concrete.
- How To Use:** in order to achieve consistency of colour of each mix use the same grades of cement, sand and aggregates, variations will affect the final colour. Mix at a rate to suit your own requirements. Adding more liquid will increase the intensity of the colour mix. Do not add to other admixtures. When using loose building materials, use only fresh Portland cement.
- Colours:** Black, Brown, Red
- Packaging:** 1 litre, 2.5 litres, 5 litres
- Storage:** Ensure the container is kept firmly sealed, when not in use. Store away from direct heat. Ensure minimum storage temperature of 5°C. Do not allow to freeze.
- Spillages:** Absorbs in sand or earth. Dispose of in accordance with current regulations.
- Health and Safety:** Please refer to health and data sheet on liquid mortar tone.

### Further Information:

In the event of further queries or problems concerning the use of this product, please contact the address below, or e-mail [info@cromar.uk.com](mailto:info@cromar.uk.com).

All products should be sold in accordance with the manufacturer's instructions. The manufacturer cannot be held responsible where conditions of use are beyond our control. Cromar Building Products Limited products are available for sale in accordance with Cromar Building Products Limited standard conditions of sale, which is available upon request. Whilst any information contained herein is to the best of our knowledge true and accurate, no warranty is given or implied in connection with any recommendations, agents, or distributors, as the conditions of use and any labour involved are beyond our control. Our warranty is therefore limited to the quality of supplied product.