



Declaration of Performance

20200203



- DoP Reference: 20200203
- 1. Unique identification code Undercloak
- 2. Product type: Undercloak
- 3. Intended use: Fibre-cement flat sheet for use as external wall and ceiling finishes non-structural
- 4. Manufacturer: TIL-R, Harding Way, St Ives, Cambridgeshire PE27 3YJ
www.til-r.co.uk info@til-r.co.uk
- 5. Authorised representative: Not Applicable
- 6. System of assessment: 4
- 7. Notified Body/Test Laboratory: TUV Sud – Reaction to Fire
- 8. Technical Assessment Body: Not Applicable
- 9. Declared performance: According to EN 12467:2012+A2:2018

Essential Characteristic	Performance / Result	Harmonised technical specification
Dimensional Tolerance		
- Length/Width	L1	EN 12467:2012+A2:2018
- Straightness	L1	
- Squareness	L1	
- Thickness	Non-Textured (+/-10%)	
Supplied nominal thickness (mm)	3.2 & 4.5	EN 12467:2012+A2:2018
Mechanical Resistance - Bending Strength (MOR)	Category A, Class 2	EN 12467:2012+A2:2018
Reaction to Fire	A1	EN 13501-1:2007+A1:2009
Release of Dangerous Substances	NPD	EN 12467:2012+A2:2018
Water impermeability	Pass	EN 12467:2012+A2:2018
Water vapour permeability	Not Applicable	EN 12467:2012+A2:2018
Durability against warm water	$R_L \geq 0.75$	EN 12467:2012+A2:2018
Durability against soak/dry	$R_L \geq 0.75$	EN 12467:2012+A2:2018
Durability against freeze thaw	$R_L \geq 0.75$	EN 12467:2012+A2:2018
Durability against heat-rain	$R_L \geq 0.75$	EN 12467:2012+A2:2018
Density (g/cm ³)	1.34	EN 12467:2012+A2:2018
All other essential characteristics not identified above	NPD	NPD = No Performance Declared

10. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed on behalf of the manufacturer by:

Guy Bruce
 Managing Director
 SIG UK Exteriors
 St Ives, Cambridgeshire – 3rd February 2020