

CLIP RANGE & COMPATIBILITY



TAKE A CLOSER LOOK

THE COMPLETE ROOF

This guide provides comprehensive information on the clips and nails that we provide for our roofing systems. As with all the elements of a Redland roof, our clips and nails are carefully designed, tested and manufactured to offer value, fast installation and long-lasting strong performance.

Importantly, these clips will allow you to fix every tile in accordance with BS 5534: 2014, (the code of practice for slating and tiling) adapting to the unique challenges and details that each roof can present.

When our clips are used as part of a Redland SpecMaster roofing specification, you have the added reassurance of our comprehensive 15-year roof weathertightness guarantee.

CONTENTS

INTRODUCTION	
FIXINGS	2 – 3
THE BRITISH STANDARD BS 5534	4 – 5
TYPES OF CLIP	6 – 7
SLATE RANGE	
Cambrian Slate	8
Landmark 10 Slate	9
Saxon 10 Slate	10
Richmond 10 Slate (including MockBond Richmond 10 Slate)	11
Stonewold II	12
Mini Stonewold (including MockBond Mini Stonewold)	13
Westminster Slate	14
PLAIN TILE RANGE	
Rosemary Clay Classic & Craftsman	15
Plain Tile and Heathland	16
DuoPlain	17
Fontenelle Interlocking Clay Plain Tile	18
PROFILE RANGE	
Landmark Double Pantile	19
Landmark Double Roman	20
Grovebury	21
50 Double Roman	22
Regent	23
Renown	24
Fenland Pantile	25
Redland 49	26
Cathedral Clay Pantile	27
Old Hollow Clay Pantile	28
Postel Clay Tile	29



FIXINGS

Every tile or fitting we put onto a roof must be fixed somehow, either through the use of a nail, a screw or a specially designed clip. Without these fixings, and in severe weather conditions, the product would be in danger of falling from the roof, potentially damaging property or endangering lives.

Tile fixings, particularly clips, are designed for specific roof tiles and not all tile fixings are equivalent as they can vary in their key mechanical properties and therefore performance. This means that one manufacturer's tile clip will not perform in the same way on the tile of another manufacturer. So beware, clips are not universal and mixing and matching may cause tile breakage or other failures in the fixing.

Redland supplies a comprehensive range of fixings for the whole range of tiles including nails, screws and clips. These fixings are designed specifically for Redland tiles and are manufactured from quality materials to comply with British Standards. This guide details the correct clip or fastening that should be used with each tile and slate in the Redland range.

TECHNICAL EXPERTS

Our technical resources set us apart. We have unrivalled access to market-leading research and testing to make sure that the effects of weather and the environment upon roof tiles, fittings and accessories are well understood.

With our own purpose-built wind tunnel to test our roof systems under the toughest conditions and weather stations around the world, we not only meet the standards but help to set them. Our Technical Centre engineers and technologists are experts at fine detail, many acknowledged leaders in their fields.

Every element of a Redland roofing system is carefully designed, tested and manufactured to give value, visual appeal and long-lasting weathertight performance.



THE BRITISH STANDARD

BS 5534



In 2014, BS 5534, the British Standard code of practice for slating and tiling had the most extensive revision for over a generation. The revisions reflect new knowledge and experience, mostly on wind loads and uplift resistances of the roof covering and underlay.

The revised standard, BS 5534: 2014, has increased the minimum tile fixing specification to meet EU standards and take into account future extreme weather.

The absolute minimum fix for a UK roof is now every tile to be fixed once and all perimeter tiles to be fixed twice. This has huge implications for the UK roofing market as many roofs were previously fixed once at the perimeters only.

This does not apply just to new roofs – if you work on an element on the roof, that element has to be worked on to the revised standard. For example, if you replace a missing ridge tile, you must mechanically fix to the new standard. The number and type of fixings required will vary from roof to roof. The geographic location, roof pitch and tile type are just a few of the variables that are vulnerable to the wind and therefore affect the way a roof should be fixed.

To avoid confusion, customers are encouraged to obtain a manufacturer's fixing specification for a specific property.

Redland's online fixings calculator tool - FixMaster Online - is accessible from the Redland website and gives an instant and simple fixing specification for a site wherever you are.



The online tool can calculate a fixing specification for any Redland tile and provides thousands of fixing specifications every year for contractors across the UK. FixMaster Online will provide you with the most cost-effective fixing specification to comply with British Standards. Because no two roofs are ever the same, FixMaster Online takes account of all the variable factors of roofing, including geometry, location, exposure, and products used, providing you with a working document that can be used for site supervision.

For more information visit www.redland.co.uk/fixmaster

FIXING CUT TILES

Fixing cut tiles can be a problem – especially on hips and valleys where large numbers of tile cuts can be found, some being quite small and each requiring a minimum of two fixings to comply with BS 5534.

Some roofers use adhesives under these conditions, but this is not ideal as the fix cannot be easily guaranteed. Most adhesives require a clean, dry environment to allow them to perform, which are conditions very rarely found on a British roof!

The Head Clip (also known as the C-Clip) and Tail Clip are the most common method for mechanically fixing cut tiles to a roof. The Head Clip slides over the interlocks of the two tiles, either at the top or bottom of the tile, clasping them together. While the tail clip can be adjusted to hang from the top of the tile beneath, creating a metal cradle in which the cut tile can now sit upon the roof.

The Kro-Clip is one of the most versatile clips in the UK market. It can be hammered onto the top or side of a tile, and then, using its long wire tail, can be wound tightly around a nail above the fixing, holding the weight of the tile and effectively hanging it on the roof. The Kro-Clip is the "go-to" clip for unusual roof details where a second fix is required.

Pre BS 5534 changes

All tiles at the perimeter of the roof must be once nailed in right hand nail hole using 50mm x 3.35mm aluminium alloy clout nails. No further fixing is required.



Example 1. 4 bed detached house, Northampton
Tile: Mini Stonewold, 35° pitch, duopitch roof, 2 storey (8m ridge height).
This street is in the centre of Northampton.

Post BS 5534 changes

All tiles at the perimeter must be twice nailed, with all remaining tiles once nailed in the right hand nail hole using 50mm x 3.35mm aluminium alloy clout nails.



Pre BS 5534 changes

All tiles must be nailed using 70mm x 3.75mm aluminium alloy clout nails.



Example 2. 4 bed detached house, Hereford
Tile: Grovebury, 35° pitch, duopitch roof, 2 storey (8m ridge height).
This road is on the edge of Hereford.

Post BS 5534 changes

All tiles at the perimeter of the roof must be nailed and clipped. In addition, a band of full tiles 2 wide adjacent to the perimeters must also be clipped in an alternate diagonal pattern. All other tiles must be nailed using 70mm x 3.75mm aluminium alloy clout nails.



TYPES OF CLIP



TILE CLIP

Used as a tail fixing on the roof tile should the fixing specification require it.



EAVES CLIP

A mechanical fixing nailed to the fascia board to secure tiles at the eaves.



VERGE CLIP

A mechanical fixing for mortar bedded verges.



HIP RAFTER CLIP

The rigid clip for Cathedral and Old Hollow Clay Pantile is secured to the roof tile using a hammer and secured to the hip rafter with a screw.




TOP TILE CLIP

A fixing for the top course of tiles on a concrete plain tile roof.



TAIL CLIP

The Tail Clip is used as a fixing to secure small cut tiles to adjacent full tiles at hips.



KRO-CLIP

A highly versatile mechanical fixing for small roof tile cuts, for example at hips and valleys. The rigid clip is secured to the roof tile using a hammer and the attached wire is then wound around a nail which itself is secured to a convenient structural timber fixing point.



INNOFIX CLIP

Innofix Clip is the multi award-winning, revolutionary, tool-free tile clip. Simple to fix and quick to install, it's our strongest clip yet and suitable for all UK exposures.



HEAD CLIP

Used with all dry hip packs to attach a cut tile to its adjacent tile. Also known as a "C-Clip".



BATTEN END CLIP

Secured to the end of a tiling batten to receive a ring shanked nail. Provides a secure fixing into the end grain of a batten when installing Ambi-Dry or RapidVerge.



DOUBLE BATTENING CLIP

A tile clip for Stonewold II used as a tail fixing in exposed locations where a secondary batten is used.



EAVES/RIDGE VERGE CLIP

A clip used to secure the Eaves Closure Unit to the fascia board as part of Redland dry verge systems.



STORM CLIP

A secure tail fixing for roofs exposed to high winds and stormy conditions.



CLOAKED VERGE PLUG

A barbed plug to be used as a secondary fixing for the cloaked verge, by securing one cloaked verge tile to another.



CAMBRIAN SLATE CLIP

Slate-to-slate clip included as an integral part of the Cambrian roof system.



SLATE CLIP

A tail fixing for Stonewold II tiles.



AMBI-DRY VERGE CLIP

Supplied as part of the Ambi-Dry Verge pack for Cambrian and Stonewold II.




CLOAKED VERGE EAVES CLIP

Specified to secure the adjacent main tile to the left hand cloaked verge.


CAMBRIAN SLATE






Cambrian Slate has a proven track record even on pitches as low as 15° and, while light in weight, its unique three-point fixing makes it suitable for even the most exposed sites.















LANDMARK 10 SLATE

Each tile incorporates subtle colour differences to replicate the variations typical of natural slate while offering low minimum pitch for maximum flexibility and performance.




CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	 9192	55 x 2.65	Included in pack	S/S ring shank	50 clips & 50 nails	Used to fix tail of tiles at eaves
Slate Clip	 9196	30 x 2.65	Included in pack	S/S ring shank	100 clips & 210 nails	Used to fix slates to each other
Verge/Valley Clip	 9193	30 x 2.65	Included in pack	S/S ring shank	20 Clips & 40 nails	Used to fix edge of slates on mortar bedded verges and valleys
Ambi-Dry Verge Clip	 9490	50	Not supplied by Redland	Galvanised clout	Included in Ambi-Dry Verge pack (9570)	Used to fix Ambi-Dry Verge
Eaves/Ridge Verge Clip	 9573	25 (50 if using RedVent EavesVent)	Not supplied by Redland	Galvanised clout	Included in Eaves / Ridge pack (9491)	Used to fix the Eaves Closer for Ambi-Dry Verge

CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	 9293	50 x 3.35	9338	Aluminium alloy clout	Sold individually. Nails not included	Used to fix tail of slates at eaves
Tile Clip	 9294	60 x 3.35	Included in pack	Aluminium alloy clout	100 clips & 100 nails	Used as a tail fixing for slate
Tile Nail	 -	45 x 3.0	9334	Aluminium alloy clout	1kg (approx. 1060)	Used to fix main slates
Tile Nail	 -	45 x 3.35	9350	S/S ring shank	1kg (approx. 300)	Used to fix main slates
Eaves Clip Nail	 -	50 x 3.35	9338	Aluminium alloy clout	1kg (approx. 812)	Used to fix Eaves Clip
Innofix Clip (Purple)	 9825	No nail required	No nail required	No nail required	500 clips	Used to fix main slates. Tool-free fixing
Verge Clip	 9481	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of slates on mortar bedded verges
Tail Clip	 9522	No nail required	No nail required	No nail required	Included in Dry Hip (9047) and Continuous Hip (9524) packs	Used to secure small slate cuts to adjacent full slates
Head Clip (C-Clip)	 9518	No nail required	No nail required	No nail required	Included in Dry Hip (9047) and Continuous Hip (9524) packs	Used to secure small slate cuts to adjacent full slates
Batten End Clip	 9528	20 x 2.65 65 x 3.35	Included in pack	S/S ring shank	Included in Dry Verge packs (9603/9604)	Installed at the end of the batten to fix the Dry Verge to the batten
Eaves/Ridge Verge Clip	 9573	55 x 2.65	Included in pack	S/S ring shank	Included in Eaves / Ridge pack (9605)	Used to fix the Eaves Closer for Ambi-Dry Verge
Kro-Clip	 9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small slate cuts


SAXON 10 SLATE

With minimum pitches as low as 17.5° design flexibility is maximised, while the strong colours produce roofs of quality and distinction.



RICHMOND 10 SLATE (Including MockBond)

Its unique design offers a thin leading edge and hidden interlock with no compromise in strength, durability and weathertightness.




CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	9293	50 x 3.35	9338	Aluminium alloy clout	Sold individually. Nails not included	Used to fix tail of slates at eaves
Tile Clip	9294	60 x 3.35	Included in pack	Aluminium alloy clout	100 clips & 100 nails	Used as a tail fixing for slate
Tile Nail	-	45 x 3.0	9334	Aluminium alloy clout	1kg (approx. 1060)	Used to fix main slates
Tile Nail	-	45 x 3.35	9350	S/S ring shank	1kg (approx. 300)	Used to fix main slates
Eaves Clip Nail	-	50 x 3.35	9338	Aluminium alloy clout	1kg (approx. 812)	Used to fix Eaves Clip
Innofix Clip (Purple)	9825	No nail required	No nail required	No nail required	500 clips	Used to fix main slates. Tool-free fixing
Verge Clip	9481	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of slates on mortar bedded verges
Tail Clip	9522	No nail required	No nail required	No nail required	Included in Dry Hip (9047) and Continuous Hip (9524) packs	Used to secure small slate cuts to adjacent full slates
Head Clip (C-Clip)	9518	No nail required	No nail required	No nail required	Included in Dry Hip (9047) and Continuous Hip (9524) packs	Used to secure small slate cuts to adjacent full slates
Batten End Clip	9528	20 x 2.65 65 x 3.35	Included in pack	S/S ring shank	Included in Dry Verge packs (9603/9604)	Installed at the end of the batten to fix the Dry Verge to the batten
Eaves/Ridge Verge Clip	9573	55 x 2.65	Included in pack	S/S ring shank	Included in Eaves / Ridge pack (9605)	Used to fix the Eaves Closer for Ambi-Dry Verge
Kro-Clip	9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small slate cuts

CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	9293	50 x 3.35	9338	Aluminium alloy clout	Sold individually. Nails not included	Used to fix tail of slates at eaves
Tile Clip	9294	60 x 3.35	Included in pack	Aluminium alloy clout	100 clips & 100 nails	Used as a tail fixing for slate
Tile Nail	-	45 x 3.0	9334	Aluminium alloy clout	1kg (approx. 1060)	Used to fix main slates
Tile Nail	-	45 x 3.35	9350	S/S ring shank	1kg (approx. 300)	Used to fix main slates
Eaves Clip Nail	-	50 x 3.35	9338	Aluminium alloy clout	1kg (approx. 812)	Used to fix Eaves Clip
Innofix Clip (Purple)	9825	No nail required	No nail required	No nail required	500 clips	Used to fix main slates. Tool-free fixing
Verge Clip	9481	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of slates on mortar bedded verges
Tail Clip	9522	No nail required	No nail required	No nail required	Included in Dry Hip (9047) and Continuous Hip (9524) packs	Used to secure small slate cuts to adjacent full slates
Head Clip (C-Clip)	9518	No nail required	No nail required	No nail required	Included in Dry Hip (9047) and Continuous Hip (9524) packs	Used to secure small slate cuts to adjacent full slates
Batten End Clip	9528	20 x 2.65 65 x 3.35	Included in pack	S/S ring shank	Included in Dry Verge packs (9603/9604)	Installed at the end of the batten to fix the Dry Verge to the batten
Eaves/Ridge Verge Clip	9573	55 x 2.65	Included in pack	S/S ring shank	Included in Eaves / Ridge pack (9605)	Used to fix the Eaves Closer for Ambi-Dry Verge
Kro-Clip	9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small slate cuts


STONEWOLD II

The original large-format concrete slate with interlocking edges that make the roof easy to build even at pitches as low as 17.5°. It provides a cost-effective slated roof effect.



MINI STONEWOLD (Including MockBond)

A flat concrete slate that can be laid at pitches as low as 17.5° in both new build and reroofing projects.




CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	9296	50 x 3.35	9338	Aluminium alloy clout	Sold individually. Nails not included	Used to fix tail of slates at eaves
Slate Clip	9240	90 x 2.80	Included	Aluminium alloy clout	Sold individually. Nail included	Used as a tail fixing for slates
Eaves Clip Nail	-	50 x 3.35	9338	Aluminium alloy clout	1kg (approx. 812)	Used to fix Eaves Clip
Double Battening Clip Nail	-	40 x 2.65	9331	Aluminium alloy clout	1kg (approx. 1,200)	Used to fix Double Battening Clip
Double Battening Clip	9204	40 x 2.65	9331	Aluminium alloy clout	Sold individually. Nails not included	Used to fix slates when a secondary batten is used
Verge Clip	9297	25 x 2.65	Not supplied	Galvanised clout	Sold individually. Nails not included	Used to fix edge of slates on mortar bedded verges
Tail Clip	9519	No nail required	No nail required	No nail required	Included in Dry Hip (9047) and Continuous Hip (9524) packs	Used to secure small slate cuts to adjacent full slates
Head Clip (C-Clip)	9518	No nail required	No nail required	No nail required	Included in Dry Hip (9047) and Continuous Hip (9524) packs	Used to secure small slate cuts to adjacent full slates
Ambi-Dry Verge Clip	9494	50	Not supplied by Redland	Galvanised clout	Included in Ambi-Dry Verge pack (9576)	Used to fix Ambi-Dry Verge
Eaves/Ridge Verge Clip	9573	25 (50 if using RedVent EavesVent)	Not supplied by Redland	Galvanised clout	Included in Eaves / Ridge pack (9495)	Used to fix Eaves Closer for Ambi-Dry Verge
Kro-Clip	9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small slate cuts

CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	9186	50 x 3.35	9338	Aluminium alloy clout	Sold individually. Nails not included	Used to fix tail of slates at eaves
Tile Clip	9185	60 x 3.35	9333	Aluminium alloy clout	Sold individually. Nails not included	Used as a tail fixing for slates
Tile Nail	-	50 x 3.35	9338	Aluminium alloy clout	1kg (approx. 812)	Used to fix main slates and Eaves Clip
Tile Clip Nail	-	60 x 3.35	9333	Aluminium alloy clout	1kg (approx. 680)	Used to fix Tile Clip
Innofix Clip (Gold)	9824	No nail required	No nail required	No nail required	500 Clips	Used to fix main slates. Tool-free fixing
Storm Clip	9530	60 x 3.35	Included in pack	Aluminium alloy clout	100 Clips & 100 nails	Used as a tail fixing for slates in exposed locations
Verge Clip	9529	25 x 2.65	Not supplied by Redland	Galvanised clout	25 Clips	Used to fix edge of slates on mortar bedded verges
Tail Clip	9519	No nail required	No nail required	No nail required	Included in Dry Hip (9046) and Continuous Hip (9028) packs	Used to secure small slate cuts to adjacent full slates
Head Clip (C-Clip)	9518	No nail required	No nail required	No nail required	Included in Dry Hip (9046) and Continuous Hip (9028) packs	Used to secure small slate cuts to adjacent full slates
Batten End Clip	9528	20 x 2.65 65 x 3.35	Included in pack	S/S ring shank	Included in Ambi-Dry (9550) and RapidVerge (9601) packs	Installed at the end of the batten to fix the Ambi-Dry or RapidVerge to the batten
Eaves/Ridge Verge Clip	9573	55 x 2.65	Included in pack	S/S ring shank	Supplied with Eaves / Ridge packs (9552 and 9602)	Used to fix the Eaves Closer for Ambi-Dry Verge
Kro-Clip	9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small slate cuts


WESTMINSTER SLATE










Westminster Slate is the latest product from Redland, offering a perfect blend of performance and aesthetics. Its 10/m² format makes Westminster Slate quick and economical to install and the large gauge can give even greater savings in batten costs and installation.







ROSEMARY CLAY CLASSIC AND CRAFTSMAN

Produced from the finest clays, Rosemary is offered in a range of weathered, brindled and single colours. Rosemary is also available with a hand-made finish appearance for our Craftsman range.




CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	 9184	50 x 3.35	9338	Aluminium alloy clout	100 Clips	Used to fix tail of slates at eaves
Slate Clip	 9294	60 x 3.35	9333	Aluminium alloy clout	100 clips & 100 nails	Used as a tail fixing for slates
Slate Nail	 -	55 x 2.65	9638	S/S ring shank	1kg (approx. 390)	Used to fix main slates
Eaves Clip Nail	 -	50 x 3.35	9338	Aluminium alloy clout	1kg (approx. 812)	Used to fix Eaves Clip
Innofix Clip (Light Blue)	 9824	No nail required	No nail required	No nail required	500 Clips	Used to fix main slates. Tool-free fixing
Verge Clip	 9529	25 x 2.65	Not supplied by Redland	Galvanised clout	25 Clips	Used to fix edge of slates on mortar bedded verges
Tail Clip	 9519	No nail required	No nail required	No nail required	Included in Dry Hip (9046) and Continuous Hip (9028) packs	Used to secure small slate cuts to adjacent full slates
Head Clip (C-Clip)	 9518	No nail required	No nail required	No nail required	Included in Dry Hip (9046) and Continuous Hip (9028) packs	Used to secure small slate cuts to adjacent full slates
Kro-Clip	 9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small slate cuts

CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Tile Nail	 -	40 x 2.65	9331	Aluminium alloy clout	1kg (approx. 1596)	Used to fix main tiles
Tail Clip	 9522	No nail required	No nail required	No nail required	Included in Dry Hip (9047) and Continuous Hip (9524) packs	Used to secure small tile cuts to adjacent full tiles
Head Clip (C-Clip)	 9518	No nail required	No nail required	No nail required	Included in Dry Hip (9047) and Continuous Hip (9524) packs	Used to secure small tile cuts to adjacent full tiles
Kro-Clip	 9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small tile cuts

PLAIN TILE AND HEATHLAND

Plain Tile is available in a range of fourteen natural shades, granular, through-coloured and acrylic coated, to match any roofing environment. Heathland combines natural weathered character with the performance of a machine-made tile in an attractive and cost-effective roofing product.








DUOPLAIN













DuoPlain combines the classic proportions and good looks of traditional plain tiles with all the time and cost-saving benefits of a modern, large-format interlocking tile available in seven popular colours.



CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
------	-------------------	-------------------------	-------------------------------	-----------	--------------	------

Top Tile Clip		9282	40 x 2.65	9331	Aluminium alloy clout	Sold individually	Used to fix the top course of tiles
Tile Nail			40 x 2.65	9331	Aluminium alloy clout	1kg (approx. 1596)	Used to fix main tiles
Tail Clip		9522	No nail required	No nail required	No nail required	Included in Dry Hip (9047) and Continuous Hip (9524) packs	Used to secure small tile cuts to adjacent full tiles
Head Clip (C-Clip)		9518	No nail required	No nail required	No nail required	Included in Dry Hip (9047) and Continuous Hip (9524) packs	Used to secure small tile cuts to adjacent full tiles
Kro-Clip		9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small tile cuts

CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
------	-------------------	-------------------------	-------------------------------	-----------	--------------	------

Eaves Clip		9184	50 x 3.35	9338	Aluminium alloy clout	100 Clips Nails not included	Used to fix tail of tiles at eaves
Tile Nail		-	45 x 3.0	9334	Aluminium alloy clout	1kg (approx. 1060)	Used to fix main tiles
Tile Nail		-	45 x 3.35	9350	S/S ring shank	1kg (approx. 300)	Used to fix main tiles
Tile Screw		-	38 x 4.20	9104	Stainless Steel	Sold individually	Used to fix main tiles
Eaves Clip Nail		-	50 x 3.35	9338	Aluminium alloy clout	1kg (approx. 812)	Used to fix Eaves Clip
Innofix Clip (Purple)		9825	No nail required	No nail required	No nail required	500 Clips	Used to fix main tiles. Tool-free fixing
Verge Clip		9198	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Tail Clip		9522	No nail required	No nail required	No nail required	Included in Dry Hip (9534) and Continuous Hip (9562) packs	Used to secure small tile cut to adjacent full tile
Head Clip (C-Clip)		9518	No nail required	No nail required	No nail required	Included in Dry Hip (9534) and Continuous Hip (9562) packs	Used to secure small tile cuts to adjacent full tiles
Batten End Clip		9528	20 x 2.65 65 x 3.35	Included in pack	S/S ring shank	Included in Ambi-Dry Verge packs (9660)	Installed at the end of the batten to fix the Ambi-Dry Verge to the batten
Eaves/Ridge Verge Clip		9573	55 x 2.65	Included in pack	S/S ring shank	Supplied with Eaves / Ridge packs (9680)	Used to fix the Eaves Closer for Ambi-Dry Verge
Kro-Clip		9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small tile cuts


FONTENELLE INTERLOCKING CLAY PLAIN TILE

A clay tile that offers a plain tile appearance, but with the benefits of reduced labour and material costs.



LANDMARK DOUBLE PANTILE

The special long-lasting Landmark surface finish means these tiles will retain their look for years, whilst the subtle but rich variations of colour blend in to create a traditional clay effect.



CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Tile Nail	-	55 x 2.65	9638	S/S ring shank	1kg (approx. 390)	Used to fix main tiles
Tile Screw	-	50 x 4.20	9366	Stainless Steel	Sold individually	Used to fix main tiles
Tail Clip	9519	No nail required	No nail required	No nail required	Included in Continuous Hip (9502) packs	Used to secure small tile cuts to adjacent full tiles
Head Clip (C-Clip)	9518	No nail required	No nail required	No nail required	Included in Continuous Hip (9502) packs	Used to secure small tile cuts to adjacent full tiles
Kro-Clip	9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small tile cuts

CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	9287	80 x 3.75	Included	Aluminium alloy clout	Sold individually	Used to fix tail of tiles at eaves
Tile Clip	9246	60 x 3.35	9333	Aluminium alloy clout	Sold individually. Nails not included	Used as a tail fixing for tiles
Tile Nail	-	70 x 3.75	9336	Aluminium alloy clout	1kg (approx. 460)	Used to fix main tiles
Tile Clip Nail	-	60 x 3.35	9333	Aluminium alloy clout	1kg (approx. 680)	Used to fix Tile Clip
Innofix Clip (Red)	9821	No nail required	No nail required	No nail required	500 clips	Used to fix main tiles. Tool-free fixing
Verge Clip (RH)	9298	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Verge Clip (LH)	9121	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Tail Clip	9519	No nail required	No nail required	No nail required	Included in Dry Hip (9046) and Continuous Hip (9028) packs	Used to secure small tile cuts to adjacent full tiles
Head Clip (C-Clip)	9518	No nail required	No nail required	No nail required	Included in Dry Hip (9046) and Continuous Hip (9028) packs	Used to secure small tile cuts to adjacent full tiles
Batten End Clip	9528	20 x 2.65 65 x 3.35	Included in pack	S/S ring shank	Included in Ambi-Dry (9550) and Rapid Verge (9601) packs	Installed at the end of the batten to fix the Ambi-Dry or Rapid Verge to the batten
Eaves/Ridge Verge Clip	9573	55 x 2.65	Included in pack	S/S ring shank	Included in Eaves/Ridge packs (9552 and 9602)	Used to fix the Eaves Closer for Ambi-Dry Verge
Kro-Clip	9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small tile cuts
Left Hand Cloaked Verge Eaves Clip	9179	No nail required	No nail required	No nail required	Included with Block End Ridge Tile (8303)	Used to secure adjacent main tile to left-hand Cloaked Verge
Cloaked Verge Plug	9180	No nail required	No nail required	No nail required	Included with Cloaked Verge Tile (8333/8334)	Provides tail fixing for Cloaked Verge

LANDMARK DOUBLE ROMAN

Available in two authentic clay colours, these tiles are ideal for creating the look of a traditional clay Roman roof with the benefits of Redland's special long-lasting Landmark surface finish.



GROVEBURY

Quicker and easier to lay than single pantiles, Grovebury offers a wide range of granular and through-coloured options, from classic Slate Grey to Antique Red.




CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	9287	80 x 3.75	Included	Aluminium alloy clout	Sold individually	Used to fix tail of tiles at eaves
Tile Clip	9288	60 x 3.35	9333	Aluminium alloy clout	Sold individually. Nails not included	Used as a tail fixing for tiles
Tile Nail	-	60 x 3.35	9336	Aluminium alloy clout	1kg (approx. 680)	Used to fix main tiles
Tile Clip Nail	-	60 x 3.35	9333	Aluminium alloy clout	1kg (approx. 680)	Used to fix Tile Clip
Innofix Clip (Light Blue)	9822	No nail required	No nail required	No nail required	500 Clips	Used to fix main tiles. Tool-free fixing
Verge Clip (RH)	9121	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Verge Clip (LH)	9297	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Tail Clip	9519	No nail required	No nail required	No nail required	Included in Dry Hip (9046) and Continuous Hip (9028) packs	Used to secure small tile cuts to adjacent full tiles
Head Clip (C-Clip)	9518	No nail required	No nail required	No nail required	Included in Dry Hip (9046) and Continuous Hip (9028) packs	Used to secure small tile cuts to adjacent full tiles
Batten End Clip	9528	20 x 2.65 65 x 3.35	Included in pack	S/S ring shank	Included in Ambi-Dry (9550) and Rapid Verge (9601) packs	Installed at the end of the batten to fix the Ambi-Dry or Rapid Verge to the batten
Eaves/Ridge Verge Clip	9573	55 x 2.65	Included in pack	S/S ring shank	Included in Eaves/Ridge packs (9552 and 9602)	Used to fix the Eaves Closer for Ambi-Dry Verge
Kro-Clip	9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small tile cuts
Left Hand Cloaked Verge Eaves Clip	9179	No nail required	No nail required	No nail required	Included with Block End Ridge Tile (8303)	Used to secure adjacent main tile to left-hand Cloaked Verge
Cloaked Verge Plug	9180	No nail required	No nail required	No nail required	Included with Cloaked Verge Tile (8343/8344)	Provides tail fixing for Cloaked Verge

CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	9287	80 x 3.75	Included	Aluminium alloy clout	Sold individually	Used to fix tail of tiles at eaves
Tile Clip	9246	60 x 3.35	9333	Aluminium alloy clout	Sold individually. Nails not included	Used as a tail fixing for tiles
Tile Nail	-	70 x 3.75	9336	Aluminium alloy clout	1kg (approx. 460)	Used to fix main tiles
Tile Clip Nail	-	60 x 3.35	9333	Aluminium alloy clout	1kg (approx. 680)	Used to fix Tile Clip
Innofix Clip (Red)	9821	No nail required	No nail required	No nail required	500 clips	Used to fix main tiles. Tool-free fixing
Verge Clip (RH)	9298	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Verge Clip (LH)	9121	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Tail Clip	9519	No nail required	No nail required	No nail required	Included in Dry Hip (9046) and Continuous Hip (9028) packs	Used to secure small tile cuts to adjacent full tiles
Head Clip (C-Clip)	9518	No nail required	No nail required	No nail required	Included in Dry Hip (9046) and Continuous Hip (9028) packs	Used to secure small tile cuts to adjacent full tiles
Batten End Clip	9528	20 x 2.65 65 x 3.35	Included in pack	S/S ring shank	Included in Ambi-Dry (9550) and Rapid Verge (9601) packs	Installed at the end of the batten to fix the Ambi-Dry or Rapid Verge to the batten
Eaves/Ridge Verge Clip	9573	55 x 2.65	Included in pack	S/S ring shank	Included in Eaves/Ridge packs (9552 and 9602)	Used to fix the Eaves Closer for Ambi-Dry Verge
Kro-Clip	9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small tile cuts
Left Hand Cloaked Verge Eaves Clip	9179	No nail required	No nail required	No nail required	Included with Block End Ridge Tile (8303)	Used to secure adjacent main tile to left-hand Cloaked Verge
Cloaked Verge Plug	9180	No nail required	No nail required	No nail required	Included with Cloaked Verge Tile (7273/7274)	Provides tail fixing for Cloaked Verge


50 DOUBLE ROMAN

Featuring gentle rolls and subtle pans, 50 Double Roman is available in a wide range of colours to blend harmoniously with any environment. Available in ten through-coloured and granular shades.



REGENT

Unique to Redland and characterised by its high, bold roll profile, the Regent tile is manufactured with a choice of through-coloured or granular finishes in nine different colours offering flexibility and compatibility to suit all roof types.




CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	9287	80 x 3.75	Included	Aluminium alloy clout	Sold individually	Used to fix tail of tiles at eaves
Tile Clip	9288	60 x 3.35	9333	Aluminium alloy clout	Sold individually. Nails not included	Used as a tail fixing for tiles
Tile Nail	-	60 x 3.35	9333	Aluminium alloy clout	1kg (approx. 680)	Used to fix main tiles and Tile Clip
Innofix Clip (Light Blue)	9822	No nail required	No nail required	No nail required	500 Clips	Used to fix main tiles. Tool-free fixing
Verge Clip (RH)	9121	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Verge Clip (LH)	9297	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Tail Clip	9519	No nail required	No nail required	No nail required	Included in Dry Hip (9046) and Continuous Hip (9028) packs	Used to secure small tile cuts to adjacent full tiles
Head Clip (C-Clip)	9518	No nail required	No nail required	No nail required	Included in Dry Hip (9046) and Continuous Hip (9028) packs	Used to secure small tile cuts to adjacent full tiles
Batten End Clip	9528	20 x 2.65 65 x 3.35	Included in pack	S/S ring shank	Included in Ambi-Dry (9550) and Rapid Verge (9601) packs	Installed at the end of the batten to fix the Ambi-Dry or Rapid Verge to the batten
Eaves/Ridge Verge Clip	9573	55 x 2.65	Included in pack	S/S ring shank	Included in Eaves/Ridge packs (9552 and 9602)	Used to fix the Eaves Closer for Ambi-Dry Verge
Kro-Clip	9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small tile cuts
Left Hand Cloaked Verge Eaves Clip	9179	No nail required	No nail required	No nail required	Included with Block End Ridge Tile (7519)	Used to secure adjacent main tile to left-hand Cloaked Verge
Cloaked Verge Plug	9180	No nail required	No nail required	No nail required	Included with Cloaked Verge Tile (7275/7276)	Provides tail fixing for Cloaked Verge

CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	9287	80 x 3.75	Included	Aluminium alloy clout	Sold individually	Used to fix tail of tiles at eaves
Tile Clip	9246	60 x 3.35	9333	Aluminium alloy clout	Sold individually. Nails not included	Used as a tail fixing for tiles
Tile Nail	-	70 x 3.75	9337	Aluminium alloy clout	1kg (approx. 420)	Used to fix main tiles
Tile Clip Nail	-	60 x 3.35	9333	Aluminium alloy clout	1kg (approx. 680)	Used to fix Tile Clip
Innofix Clip (Red)	9821	No nail required	No nail required	No nail required	500 clips	Used to fix main tiles. Tool-free fixing
Verge Clip (RH)	9298	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Verge Clip (LH)	9121	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Tail Clip	9519	No nail required	No nail required	No nail required	Included in Dry Hip (9046) and Continuous Hip (9028) packs	Used to secure small tile cuts to adjacent full tiles
Head Clip (C-Clip)	9518	No nail required	No nail required	No nail required	Included in Dry Hip (9046) and Continuous Hip (9028) packs	Used to secure small tile cuts to adjacent full tiles
Batten End Clip	9528	20 x 2.65 65 x 3.35	Included in pack	S/S ring shank	Included in Ambi-Dry (9550) and Rapid Verge (9601) packs	Installed at the end of the batten to fix the Ambi-Dry or Rapid Verge to the batten
Eaves/Ridge Verge Clip	9573	55 x 2.65	Included in pack	S/S ring shank	Included in Eaves/Ridge packs (9552 and 9602)	Used to fix the Eaves Closer for Ambi-Dry Verge
Kro-Clip	9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small tile cuts
Left Hand Cloaked Verge Eaves Clip	9179	No nail required	No nail required	No nail required	Included with Block End Ridge Tile (7519)	Used to secure adjacent main tile to left-hand Cloaked Verge
Cloaked Verge Plug	9180	No nail required	No nail required	No nail required	Included with Cloaked Verge Tile (7271/7272)	Provides tail fixing for Cloaked Verge

RENOWN

Designed to blend unobtrusively into any environment, Renown is easy and quick to cut and fix, making it ideal for shorter lead time new build or refurbishments.



FENLAND PANTILE

A natural successor to the distinctive single clay pantiles that characterise so much of the south-east and East Anglia, Fenland Pantile is a cost-effective and convenient alternative to traditional clay.




CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	9186	50 x 3.35	9338	Aluminium alloy clout	Sold individually. Nail not included	Used to fix tail of tiles at eaves
Tile Clip	9185	60 x 3.35	9333	Aluminium alloy clout	Sold individually. Nails not included	Used as a tail fixing for tiles
Tile Nail	-	50 x 3.35	9338	Aluminium alloy clout	1kg (approx. 812)	Used to fix main tiles
Tile Clip Nail	-	60 x 3.35	9333	Aluminium alloy clout	1kg (approx. 680)	Used to fix Tile Clip
Innofix Clip (Light Orange)	9823	No nail required	No nail required	No nail required	500 Clips	Used to fix main tiles. Tool-free fixing
Verge Clip	9297	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Tail Clip	9519	No nail required	No nail required	No nail required	Included in Dry Hip (9046) and Continuous Hip (9028) packs	Used to secure small tile cuts to adjacent full tiles
Head Clip (C-Clip)	9518	No nail required	No nail required	No nail required	Included in Dry Hip (9046) and Continuous Hip (9028) packs	Used to secure small tile cuts to adjacent full tiles
Batten End Clip	9528	20 x 2.65 65 x 3.35	Included in pack	S/S ring shank	Included in Ambi-Dry (9550) and Rapid Verge (9601) packs	Installed at the end of the batten to fix the Ambi-Dry or Rapid Verge to the batten
Eaves/Ridge Ambi-Dry Verge Clip	9573	55 x 2.65	Included in pack	S/S ring shank	Included in Eaves/Ridge packs (9552 and 9602)	Used to fix the Eaves Closer for Ambi-Dry Verge
Kro-Clip	9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small tile cuts
Left Hand Cloaked Verge Eaves Clip	9179	No nail required	No nail required	No nail required	Included with Block End Ridge Tile (7519)	Used to secure the adjacent main tile to the left-hand Cloaked Verge
Cloaked Verge Plug	9180	No nail required	No nail required	No nail required	Included with Cloaked Verge Tile (7277/7278)	Provides tail fixing for Cloaked Verge

CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	9178	50 x 3.35	9338	Aluminium alloy clout	Sold individually. Nails not included	Used to fix tail of tiles at eaves
Tile Clip	9177	60 x 3.35	9333	Aluminium alloy clout	Sold individually. Nails not included	Used as a tail fixing for tiles
Tile Nail	-	45 x 3.0	9334	Aluminium alloy	1kg (approx. 1060)	Used to fix main tiles
Eaves Clip Nail	-	50 x 3.35	9338	Aluminium alloy clout	1kg (approx. 812)	Used to fix Eaves Clip
Tile Clip Nail	-	60 x 3.35	9333	Aluminium alloy clout	1kg (approx. 680)	Used to fix Tile Clip
Innofix Clip (Red)	9821	No nail required	No nail required	No nail required	500 Clips	Used to fix main tiles. Tool-free fixing
Verge Clip (RH)	9149	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Verge Clip (LH)	9148	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Tail Clip	9519	No nail required	No nail required	No nail required	Included in Continuous Hip (9502) pack	Used to secure small tile cuts to adjacent full tiles
Head Clip (C-Clip)	9518	No nail required	No nail required	No nail required	Included in Continuous Hip (9502) pack	Used to secure small tile cuts to adjacent full tiles
Batten End Clip	9528	20 x 2.65 65 x 3.35	Included in pack	S/S ring shank	Included in Ambi-Dry (9692) and Rapid Verge (9701) packs	Installed at the end of the batten to fix the Ambi-Dry or Rapid Verge to the batten
Eave/Ridge Verge Clip	9573	55 x 2.65	Included in pack	S/S ring shank	Included in Eaves/Ridge packs (9693 and 9702)	Used to fix the Eaves Closer for Ambi-Dry Verge
Kro-Clip	9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small tile cuts

REDLAND 49

The Redland 49 tile is easy to handle and install so offers both speed and economy as a roofing material. Available in a range of attractive colours.



CATHEDRAL CLAY PANTILE

Precision-manufactured using the latest in clay technology, Cathedral Clay Pantiles produce a striking, durable roof that will mellow into its environment with age.



CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	9184	50 x 3.35	9338	Aluminium alloy clout	100 Clips. Nails not included	Used to fix tail of tiles at eaves
Tile Clip	9185	60 x 3.35	9333	Aluminium alloy clout	Sold individually. Nails not included	Used as a tail fixing for tiles
Tile Nail	-	50 x 3.35	9338	Aluminium alloy clout	1kg (approx. 812)	Used to fix main tiles
Tile Clip Nail	-	60 x 3.35	9333	Aluminium alloy clout	1kg (approx. 680)	Used to fix Tile Clip
Innofix Clip (Light Orange)	9823	No nail required	No nail required	No nail required	500 Clips	Used to fix main tiles. Tool-free fixing
Verge Clip	9297	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Tail Clip	9519	No nail required	No nail required	No nail required	Included in Continuous Hip (9502) pack	Used to secure small tile cuts to adjacent full tiles
Head Clip (C-Clip)	9518	No nail required	No nail required	No nail required	Included in Continuous Hip (9502) pack	Used to secure small tile cuts to adjacent full tiles
Batten End Clip	9528	20 x 2.65 65 x 3.35	Included in pack	S/S ring shank	Included in Ambi-Dry (9692) and Rapid Verge (9701) packs	Installed at the end of the batten to fix the Ambi-Dry or Rapid Verge to the batten
Eaves/Ridge Ambi-Dry Verge Clip	9573	55 x 2.65	Included in pack	S/S ring shank	Included in Eaves/Ridge packs (9693 and 9702)	Used to fix the Eaves Closer for Ambi-Dry Verge
Kro-Clip	9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small tile cuts

CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	9178	50 x 3.35	9338	Aluminium alloy clout	Sold individually. Nails not included	Used to fix the tail tiles at eaves
Tile Clip	9636	No nail required	No nail required	Aluminium alloy clout	Sold individually	Used as a tail fixing for tiles
Tile Nail	-	60 x 2.65	9634	S/S ring shank	100 Nails c/w neoprene washers	Used to fix main tiles
Eaves Clip Nail	-	50 x 3.35	9338	Aluminium alloy clout	1kg (approx. 812)	Used to fix Eaves Clip
Verge Clip (RH)	9633	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Verge Clip (LH)	9632	26 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verges
Head Clip (C-Clip)	9518	No nail required	No nail required	No nail required	Included in Continuous Hip (9502) pack	Used to secure small tile cuts to adjacent full tiles
Hip Rafter Clip	9872	No nail required	No nail required	No nail required	Included in Continuous Hip pack (9870)	Used to secure small tile cuts to adjacent timber work
Kro-Clip	9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small tile cuts
Cloaked Verge Plug	9180	No nail required	No nail required	No nail required	Included with Cloaked Verge Tile (5927/5928)	Provides tail fixing for Cloaked Verge


OLD HOLLOW CLAY PANTILE









With its distinctive pattern of rolls and troughs, this tile replicates perfectly the traditional old English pantile shape, producing roofscapes of outstanding charm and character.








POSTEL CLAY TILE

A tile particularly popular in the south-east for domestic reroofing, it replicates the shape of the 'Courtrai', tile with guaranteed weathertightness down to 20°.



CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Eaves Clip	 9178	50 x 3.35	9338	Aluminium alloy clout	Sold individually. Nail not included	Used to fix tail of tiles at eaves
Tile Clip	 9637	No nail required	No nail required	No nail required	Sold individually	Used as tail fixing for tiles
Tile Nail	 -	55 x 2.65	9638	S/S ring shank	1 kg (approx. 390)	Used to fix main tiles
Eaves Clip Nail	 -	50 x 3.35	9338	Aluminium alloy clout	1 kg (approx. 812)	Used to fix Eaves Clip
Verge Clip (RH)	 9640	25 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verge
Verge Clip (LH)	 9639	26 x 2.65	Not supplied by Redland	Galvanised clout	Sold individually. Nails not included	Used to fix edge of tiles on mortar bedded verge
Hip Rafter Clip	 9872	No nail required	No nail required	No nail required	Included in Continuous Hip pack (9870)	Used to secure small tile cuts to adjacent timber work
Kro-Clip	 9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small tile cuts

CLIP	Clip product code	Required nail size (mm)	Nail (for clips) product code	Nail type	Pack details	Note
Tile Nail	 -	45 x 3.35	9350	S/S ring shank	1 kg (approx. 300)	Used to fix main tiles
Tile Screw	 -	38 x 4.20	9104	Stainless Steel	Sold individually	Used to fix main tiles
Tail Clip	 9519	No nail required	No nail required	No nail required	Included in Continuous Hip (9502) pack	Used to secure small tile cuts to adjacent full tiles
Head Clip (C-Clip)	 9518	No nail required	No nail required	No nail required	Included in Continuous Hip (9502) pack	Used to secure small tile cuts to adjacent full tiles
Kro-Clip	 9142	25	Not supplied by Redland	Galvanised	50 clips. Nails not included	Used to fix small tile cuts

www.redland.co.uk



Customer Service

Telephone 03705 601000
Facsimile 03705 642742
E-mail sales.redland@monier.com

Technical Solutions

Telephone 03708 702595
Facsimile 03708 702596
E-mail technical.redland@monier.com